

PRO Prep-R

PK 2P50 Wipes



Application:	Pioneer Series - undercoat solutions.
Key Features:	Eco effectiveness wipes - superior surface quality. Wipes for improved adhesion of the paint system and corrosion resistance, due to chemical reaction with metal surfaces.
Remarks:	Recoatable with all PIONEER Series undercoat materials, except polyester body filler or waterborne filler. Do not overcoat directly with basecoat or topcoat.

Handling



Cleaning:
with PK 2P10 / PK 2P20



Product suitable on cleaned bare metal such as

- Steel
- Galvanised sheet steel
- Aluminium



Application:

Evenly wet the entire bare metal surface with wipes. Wipe with overlapping single cross coats. The surface must stay moist for at least 1 minute. This is imperative for the chemical reaction to complete and form a passivation layer. Flash off at 68°F (20°C): Mat surface (max. 8h). Spreading rate: per cloth max. 32 ft² (3 m²). Close the container immediately after removing a wipe to protect the other wipes from drying out.

VOC ready for use 8 g/l 0.07 lb/gal

Please note: For automotive refinish, repair instructions of vehicle manufacturers, in particular regarding installed sensor technology, must always be observed in addition to the processing instructions given within this document.

Safety advice:

It cannot be ruled out that this product contains particles < 0.1 µm.

The products are suitable for professional use only.

For the use of this product please adhere to the actual safety recommendations and the personal protective equipment.

Materials described are for application by professional trained personnel only using proper equipment. Products may be hazardous and should be used according to label directions and technical data information. Appropriate respiratory protection should be worn at all times while products are in use - read product label and Material Safety Data Sheet (MSDS) for specific details. Statements and methods described are based upon the latest standard of technology known to the manufacturer. Application procedures cited are suggestions only and are not to be interpreted as warranty for events resulting from their use. Dilution ratios are intended to provide maximum performance within the typical Volatile Organic Compound (VOC) restriction for product use. Specific VOC limits need to be referenced to verify local compliance. Altering the solvent or dilution ratio may impact VOC compliance. User is solely responsible to ensure product use and application is in accordance with all applicable regulatory, legislative, and municipal requirements.



PRO Prep-R

PK 2P50
Wipes



Safety advice:

It cannot be ruled out that this product contains particles < 0.1 µm.

The products are suitable for professional use only.

For the use of this product please adhere to the actual safety recommendations and the personal protective equipment.

Materials described are for application by professional trained personnel only using proper equipment. Products may be hazardous and should be used according to label directions and technical data information. Appropriate respiratory protection should be worn at all times while products are in use - read product label and Material Safety Data Sheet (MSDS) for specific details. Statements and methods described are based upon the latest standard of technology known to the manufacturer. Application procedures cited are suggestions only and are not to be interpreted as warranty for events resulting from their use. Dilution ratios are intended to provide maximum performance within the typical Volatile Organic Compound (VOC) restriction for product use. Specific VOC limits need to be referenced to verify local compliance. Altering the solvent or dilution ratio may impact VOC compliance. User is solely responsible to ensure product use and application is in accordance with all applicable regulatory, legislative, and municipal requirements.

