



General information	
A	Refinishing processes
A 1	PREP'ART surface preparation
A 1.1	PREP'ART: New panel with cathodic electro-coat (OEM primer)
A 1.2	PREP'ART: steel, damaged panel
A 1.3	PREP'ART: aluminum, new panel
A 1.4	PREP'ART: aluminum, damaged panel
A 1.5	PREP'ART: plastic, new panel
A 1.6	PREP'ART: plastic, damaged part
A 1.6.1	Plastics painting: undercoat mixing ratios
A 1.6.3	Plastics painting: mixing ratios for UNO HD CP
A 1.6.4	Plastics painting: mixing ratios for ONYX HD and clears
A 1.6.5	DIRECTFILLER BLACK, GREY and WHITE Applications
A 1.6.6	Plastics painting: mixing ratios for UNO HD CP PLUS
A 1.7	Paint system with 1K UV primer filler for repairs on plastic parts
A 1.7.1	Paint system with 1K UV primer filler for repairs on metal parts
A 2	BLEND'ART: repairing minor paintwork damage with ONYX HD
A 2.1	BLEND'ART: repairing minor paintwork damage with ONYX HD
A 2.2	BLEND'ART: blend-in repair with ONYX HD on the panel being repaired
A 2.3	BLEND'ART: blend-in repair with ONYX HD, fading out on the adjacent panel

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at www.rmpaint.com or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

R-M Automotive Refinish Paints, Z.I. du Merret F-60676 Clermont de l'Oise Cedex, Tel. (+33) (0) 3 44 77 77 77, 11/20107



B	Special processes
B 1	Putty guide
B 1.1	Vehicles damaged by hail
B 2	UNO HD CP: blending on one panel
B 2.1	UNO HD CP: blending on the adjacent panel
B 2.3	UNO HD CP PLUS: blending on the panel being repaired
B 2.4	UNO HD CP PLUS: blending on the adjacent panel
B 3	ONYX HD: colors for interiors
B 3.1	ONYX HD: blending process for three-coat systems
B 3.2	ONYX HD: blending process for four-coat systems
B 3.3	ONYX HD tri-coat system- Blending in on the adjacent panel with ONYX HD (Translucent Step 2)
B 3.4	ONYX HD tri-coat system- Blending in on the panel being repaired with ONYX HD (Translucent Step)
B 4	HYDROCLEAN: treatment of waste water
B 6	Matt Shade concept
B 6.1	Matt Shade concept



C	Product data sheets
C 1	Cleaners
C 2	Undercoat materials
C 2.1	Putties
C 2.2	Primers
C 2.3	Fillers
C 3	Basecoats & topcoats
C 3.1	ONYX HD
C 3.3	UNO HD
C 4	Clears
C 5	Additives & special products
D	Annexes
D 1	List of processing pictograms
D 2	Flow times, measured with different viscosity cups
D 3	Sanding paper grit sizes For undercoats
D 4	Infrared drying Infrared drying parameters for R-M products
D 5	Temperature table hardener/thinner ratio depending on ambient temperature
D 6	Coating of plastics - undercoat