

STOP UV LIGHT

B 2530

Fine body filler

Application:	Fine body filler
Key Features:	Universally applicable on steel, galvanised steel, aluminium, e-coated parts, old paintwork, and all coatable plastics that are commonly used in the automotive industry. The high solids fine body filler convinces with fast drying ability, excellent sandability and good anti-corrosive properties. They are coupled with good finish qualities. Especially developed for the repair of small damages and scratches, to achieve a repaired surface without pores.

Solid Content	98 % +/- 2
Density	1.79-1.81 g/cm ³
Storage temperature	5-30 °C
Shelf life	12 months



Cleaning

Clean with PK 700
Sand (steel P80, aluminium P150-P180, galvanized steel P80, plastics P240).

Handling



Do not apply in direct sunlight.
Do not expose to sunlight in storage.



max. 800 µm

Safety advice:

2004/42/IIIB(b)(250)239: The EU limit value for this product (product category: IIB.b) in ready-for-use form is max 250 grams of VOC per liter. The VOC content of this product is 239 g/l.

It cannot be ruled out that this product contains particles < 0.1 µm.

The products are suitable for professional use only.

For the use of this product please adhere to the actual safety recommendations and the personal protective equipment.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at www.rmpaint.com or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

STOP UV LIGHT

B 2530

Fine body filler

Material is ready for use.

Drying



UV Curing

5 min (UV-A > 6 mW/ cm²)

By using LED lamps, the curing time can be reduced due to their higher intensity in the dominant wavelength range. This must be checked individually.



Orbital sanding, dry

P80, P150, P240

Please note: For automotive refinish, repair instructions of vehicle manufacturers, in particular regarding installed sensor technology, must always be observed in addition to the processing instructions given within this document.

Safety advice:

2004/42/II(b)(250)239: The EU limit value for this product (product category: IIB.b) in ready-for-use form is max 250 grams of VOC per liter. The VOC content of this product is 239 g/l.

It cannot be ruled out that this product contains particles < 0.1 µm.

The products are suitable for professional use only.

For the use of this product please adhere to the actual safety recommendations and the personal protective equipment.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at www.rmpaint.com or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.